

L Number	Hits	Search Text	DB	Time stamp
1	48	scatter adj2 graph	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:53
8	5	scatter adj2 graph and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:53
15	1	scatter adj2 graph and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:53
22	4	scatter adj2 graph and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:55
29	7	scatter adj4 graph and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:55
36	7	scatter adj4 graph and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:58
43	0	scatter and 345/4409	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:59
50	37	scatter and 345/440	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:59
71	1	scatter and 345/440 and galaxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:59
64	2	scatter and 345/440 and centroid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:00
57	10	scatter and 345/440 and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:06
78	80	scatter and records and attributes and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:07
85	71	scatter and records and attributes and cluster and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:09

L Number	Hits	Search Text	DB	Time stamp
1	1003	345/440	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:16
8	0	( 345/440 ) and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:16
15	0	( 345/440 ) and paup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:16
22	84	( 345/440 ) and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:16
36	6	( 345/440 ) and protein	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:17
29	5	( 345/440 ) and dna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:18
43	9	(( 345/440 ) and dna) or (( 345/440 ) and protein)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:18
50	19361	702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:28
57	46104	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:19
64	113	702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:19
71	0	( 345/440 ) and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:19
78	293	702/\$.ccls. and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:19
85	41	(702/\$.ccls. and 345/\$.ccls.) and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:19

L Number	Hits	Search Text	DB	Time stamp
-	1865	surface adj2 map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:11
-	17	surface adj2 map\$5 same attributes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:29
-	97	surface adj2 map\$5 same dimension\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	76	surface adj2 map\$5 same characteristics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	24	surface adj2 map\$5 same interactive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	0	data adj1 processing adj1 analysis adj2 visualization adj1 system adj4 disparate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	218	zabriskie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:52
-	352	saffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	177192	milller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	204	scarberry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	15077	decker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	0	zabriskie and saffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:46
-	4	(2d or two adj dimension\$2) same scatter adj graph\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:47

92	0	(702/\$.ccls. and 345/\$.ccls.) and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:20
99	0	345/\$.ccls. and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:20
106	47	702/\$.ccls. and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:20
120	64	dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:21
127	120	paup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:21
148	0	paup and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:22
141	1	dendogram and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:22
134	33	cluster and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:26
155	1	dendogram and paup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:23
162	160	382/129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:26
169	1	382/129 and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:27
176	0	382/129 and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:27
183	0	382/129 and paup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:27
190	426	702/\$.ccls. and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:28

92	42	scatter and records and attributes and cluster and display and vector\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/08 23:09
99	.6	scatter and records and attributes and cluster and display and vector\$8 and 345/440	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/08 23:10
-	1865	surface adj2 map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:11
-	17	surface adj2 map\$5 same attributes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/08 21:37
-	97	surface adj2 map\$5 same dimension\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:30
-	76	surface adj2 map\$5 same characteristics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:30
-	24	surface adj2 map\$5 same interactive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 23:03
-	0	data adj1 processing adj1 analysis adj2 visualization adj1 system adj4 disparate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:42
-	4	(2d or two adj dimension\$2) same scatter adj graph\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:47
-	0	(2d or two adj dimension\$2) same scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:48
-	0	scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:48
-	95	cluster\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:48
-	169	user adj select\$5 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:50
-	13	user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 21:50

-	0	(2d or two adj dimension\$2) same scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	0	scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	95	cluster\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	169	user adj select\$5 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	13	user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	5	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	36	(user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:55

197	706	345/\$.ccls. and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:28
204	9	(702/\$.ccls. and cluster) and (345/\$.ccls. and cluster)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:30
211	64	((702/\$.ccls. and cluster) or (345/\$.ccls. and cluster))and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:32
218	2	((702/\$.ccls. and cluster) or (345/\$.ccls. and cluster))and ( 345/440 ) and genetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:33
225	16	( 345/440 ) and genetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:54
232	68	382/129 and genetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:33
239	80	702/20 and genetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:33
246	15	( 382/129 and genetic) and ( 702/20 and genetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:33
253	133	( 382/129 and genetic) or ( 702/20 and genetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:34
260	0	(( 382/129 and genetic) or ( 702/20 and genetic)) and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:34
267	1	(( 382/129 and genetic) or ( 702/20 and genetic)) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:34
274	7	( 345/440 ) and genetic and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:37
281	8	( 345/440 ) and (gene or dna or protein or genetic) and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:40
288	0	( 345/440 ) and (gene or dna or protein or genetic) and cluster\$4 and sequences\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:38

-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	5	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	36	(user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:55
-	26	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56



-	26	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	0	(surface adj2 map\$5) and dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	64	dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	13	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57

295	4	( 345/440 ) and (gene or dna or protein or genetic) and cluster\$4 and tree\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:38
302	0	( 345/440 ) and (gene or dna or protein or genetic) and cluster\$4 and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:40
309	0	( 345/440 ) and (gene or dna or protein or genetic) and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:41
316	27	345/\$.ccls. and (gene or dna or protein or genetic) and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:41
330	7	345/\$.ccls. and (gene or dna or protein or genetic) and 382/\$.ccls. and (cluster\$4 or centroid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:41
323	7	345/\$.ccls. and (gene or dna or protein or genetic) and 382/\$.ccls. and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:44
337	84	cluster and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:44
344	33	cluster and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:44
351	426	cluster and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:44
358	706	cluster and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:44
365	1146	cluster and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:45
372	3	cluster and 382/\$.ccls. and (cluster and 702/\$.ccls.) and (cluster and 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:45
379	80	702/20 and genetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:54
386	16	( 345/440 ) and genetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:55

-	0	(surface adj2 map\$5) and dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	64	dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	13	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and ((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and ((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:59
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:59

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices) and link\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices) and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:11

393	0	( 345/440 ) and genetic and ( 702/20 and genetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:55
400	8	( 345/440 ) and genetic and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:56
407	2	( 345/440 ) and genetic and 345/\$.ccls. and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:58
414	804	cluster and centroid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:58
421	8	cluster and centroid and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:59
428	158	record and attribute and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:59
435	351	record and attribute and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:59
442	1472	record and attribute and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:59
449	1832	(record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 20:59
456	169	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:00
463	56	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and centroid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:00
470	17	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and centroid and ((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:01
477	208	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and ((centroid or ((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:01

-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:16
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:15
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second and dimension\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:17
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and dendrogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:22
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:25
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:32
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:36
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4 and ( (surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:37
-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:59
-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:01
-	1	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4 and 345/419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	170	surface adj2 map\$5 same (user or interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:05
-	170	surface adj2 map\$5 same (user or interactive)and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:59
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices) and link\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01



484	188	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and (centroid or (((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster))and (gene or gene\$ or dna or genetic or protein)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:04
485	0	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and (centroid or (((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster))and (gene or gene\$ or dna or genetic or protein)) and paup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:02
492	1	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and (centroid or (((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster))and (gene or gene\$ or dna or genetic or protein)) and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:02
499	17	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and (centroid or (((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster))and (gene or gene\$ or dna or genetic or protein)) and dna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:04
506	1	((record and attribute and ( 345/440 ) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and (centroid or (((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster))and (gene or gene\$ or dna or genetic or protein)) and dna) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:04
513	37	((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and (centroid or (((record and attribute and ( 345/440 )) or (record and attribute and 702/\$.ccls.) or (record and attribute and 345/\$.ccls.)) and cluster))and (gene or gene\$ or dna or genetic or protein)and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:16
514	6	"5791478"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:15
521	44	"5794178"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:16
528	0	"5794178" and paup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:16

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:11
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:16
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:15
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second and dimension\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:17
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and dendrogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:22
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:25
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:32
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:36
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4 and ( (surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:37

-	0	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4 AND CENTROIDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	8	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:08
-	9	surface adj2 map\$5 same (user or interactive)and map\$4 and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	0	(surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4) and (surface adj2 map\$5 same (user or interactive)and map\$4 and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	14	(surface adj2 map\$5) and centroids and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	8	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:15
-	0	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16
-	1	(surface adj2 map\$5) and centroids and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16
-	6	(surface adj2 map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:21
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:23
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:24
-	40	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:26

535	0	"5794178" and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:17
542	9	"5794178" and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:18
549	7	"5619709" and ( 345/440 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:20
556	5	"5619709" and ( 345/440 ) and record\$ and attribute\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:22
557	11	"5794178" and record\$ and attribute\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:22
558	0	"6035057" and record\$ and attribute\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:22
559	20	"5619709" and record\$ and attribute\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:23
560	5	("5794178" and record\$ and attribute\$) and ("5619709" and record\$ and attribute\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:24
567	0	((("5794178" and record\$ and attribute\$) and ("5619709" and record\$ and attribute\$)) and protein	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:24
574	0	((("5794178" and record\$ and attribute\$) and ("5619709" and record\$ and attribute\$)) and dna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:24
581	0	((("5794178" and record\$ and attribute\$) and ("5619709" and record\$ and attribute\$)) and gene	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:24
588	2	((("5794178" and record\$ and attribute\$) and ("5619709" and record\$ and attribute\$)) and genetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:24
-	1865	surface adj2 map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:11
-	17	surface adj2 map\$5 same attributes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:29

-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:59
-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:01
-	1	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4 and 345/419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	170	surface adj2 map\$5 same (user or interactive)and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	0	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4 AND CENTROIDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	8	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:08
-	9	surface adj2 map\$5 same (user or interactive)and map\$4 and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	0	(surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4) and (surface adj2 map\$5 same (user or interactive)and map\$4 and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	14	(surface adj2 map\$5) and centroids and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	8	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:15
-	0	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16
-	1	(surface adj2 map\$5) and centroids and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16

-	46	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:36
-	35	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:32
-	35	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:39
-	23	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:43
-	28	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:47
-	14	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$ and graph\$1 and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:58
-	2	surface adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:42
-	42	high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:29
-	0	high adj2 dimensional adj2 vector and surface same (detail and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:21
-	16	high adj2 dimensional adj2 vector and detail and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	0	( high adj2 dimensional adj2 vector) and 34/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	1	( high adj2 dimensional adj2 vector) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25

-	97	surface adj2 map\$5 same dimension\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	76	surface adj2 map\$5 same characteristics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	24	surface adj2 map\$5 same interactive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	0	data adj1 processing adj1 analysis adj2 visualization adj1 system adj4 disparate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	218	zabriskie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:52
-	352	saffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	177192	millier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	204	scarberry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	15077	decker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	0	zabriskie and saffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:46
-	4	(2d or two adj dimension\$2) same scatter adj graph\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:47
-	0	(2d or two adj dimension\$2) same scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	0	scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	95	cluster\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48

-	6	(surface adj2 map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:21
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:23
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:24
-	40	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:26
-	46	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:36
-	35	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:32
-	35	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:39
-	23	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:43
-	28	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:47
-	14	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$ and graph\$1 and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:58
-	2	surface adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:42
-	42	high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:29



-	28	( high adj2 dimensional adj2 vector) and clusters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	16	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:25
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	15	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	5	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	2	high adj2 dimensional adj2 vector and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32
-	0	high adj2 dimensional adj2 vector and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32
-	0	surface adj4 (map\$5 or detail) and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:33
-	1102	surface adj4 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:34
-	349	surface adj4 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:35
-	294	surface adj3 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:36

-	169	user adj select\$5 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	13	user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	5	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	36	(user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:55
-	26	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56

-	0	high adj2 dimensional adj2 vector and surface same (detail and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:21
-	16	high adj2 dimensional adj2 vector and detail and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	0	( high adj2 dimensional adj2 vector) and 34/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	1	( high adj2 dimensional adj2 vector) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	28	( high adj2 dimensional adj2 vector) and clusters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	16	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:25
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	15	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	5	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and (( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and (( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	2	high adj2 dimensional adj2 vector and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32
-	0	high adj2 dimensional adj2 vector and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32

-	895	surface adj3 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:57
-	21	surface adj3 (map\$5 or detail) and vector same dimension\$2 same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:37
-	21	surface adj3 (map\$5 or detail) and (vector same dimension\$2) same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:38
-	2	surface adj3 (map\$5 or detail) and (high adj2 dimensional adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:38
-	6	"6035057"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:38
-	3	(space or surface) adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:46
-	18	( high adj2 dimensional adj2 vector) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:52
-	18	( high adj2 dimensional adj2 vector) and centroids and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:53
-	329	surface adj3 (map\$5 or detail) and vector and projection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:00
-	2	surface adj3 (map\$5 or detail) and vector same (dimension\$2 and high)and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:02
-	4	surface adj3 (map\$5 or detail) and vector same (dimension\$2)and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:02
-	8	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:05
-	35	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:07
-	0	phylondendron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:26

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	0	(surface adj2 map\$5) and dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	64	dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	13	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58

-	0	surface adj4 (map\$5 or detail) and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:33
-	1102	surface adj4 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:34
-	349	surface adj4 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:35
-	294	surface adj3 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:36
-	895	surface adj3 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:57
-	21	surface adj3 (map\$5 or detail) and vector same dimension\$2 same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:37
-	21	surface adj3 (map\$5 or detail) and (vector same dimension\$2) same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	2	surface adj3 (map\$5 or detail) and ( high adj2 dimensional adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	6	"6035057"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	3	(space or surface) adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:46
-	18	( high adj2 dimensional adj2 vector) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:52
-	18	( high adj2 dimensional adj2 vector) and centroids and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:53
-	329	surface adj3 (map\$5 or detail) and vector and projection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:00
-	2	surface adj3 (map\$5 or detail) and vector same (dimension\$2 and high) and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:02

-	64	dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	0	dendogram and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	2	dendogram and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	0	"137" and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	9	"5835097"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02
-	5	"5847717"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:59
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user (index or list or table\$ or indices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01



-	4	surface adj3 (map\$5 or detail) and vector same (dimension\$2)and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:02
-	8	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:05
-	35	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:07
-	0	phylondendron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	64	dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	0	dendogram and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	2	dendogram and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	0	"137" and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	9	"5835097"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02
-	5	"5847717"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)and link\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:11
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:16
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:15
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second and dimension\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:17
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:22
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:25

-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:32
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:36
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4 and ( (surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:37
-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:59
-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:01
-	1	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4 and 345/419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	170	surface adj2 map\$5 same (user or interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:05
-	170	surface adj2 map\$5 same (user or interactive)and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	0	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4 AND CENTROIDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	8	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:08
-	9	surface adj2 map\$5 same (user or interactive)and map\$4 and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	0	(surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4) and (surface adj2 map\$5 same (user or interactive)and map\$4 and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	14	(surface adj2 map\$5) and centroids and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09

-	8	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:15
-	0	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16
-	1	(surface adj2 map\$5) and centroids and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16
-	6	(surface adj2 map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:21
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:23
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:24
-	40	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:26
-	46	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:36
-	35	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:32
-	35	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:39
-	23	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:43

-	28	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:47
-	14	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$ and graph\$1 and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:58
-	2	surface adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:42
-	42	high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:29
-	0	high adj2 dimensional adj2 vector and surface same (detail and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:21
-	16	high adj2 dimensional adj2 vector and detail and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	0	( high adj2 dimensional adj2 vector) and 34/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	1	( high adj2 dimensional adj2 vector) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	28	( high adj2 dimensional adj2 vector) and clusters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	16	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:25
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	15	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28

-	5	(( ( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	8	(( ( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	2	high adj2 dimensional adj2 vector and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32
-	0	high adj2 dimensional adj2 vector and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32
-	0	surface adj4 (map\$5 or detail) and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:33
-	1102	surface adj4 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:34
-	349	surface adj4 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:35
-	294	surface adj3 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:36
-	895	surface adj3 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:57
-	21	surface adj3 (map\$5 or detail) and vector same dimension\$2 same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:37
-	21	surface adj3 (map\$5 or detail) and (vector same dimension\$2) same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	2	surface adj3 (map\$5 or detail) and ( high adj2 dimensional adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	6	"6035057"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-			USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

-	3	(space or surface) adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:46
-	18	( high adj2 dimensional adj2 vector) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:52
-	18	( high adj2 dimensional adj2 vector) and centroids and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 15:53
-	329	surface adj3 (map\$5 or detail) and vector and projection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:00
-	2	surface adj3 (map\$5 or detail) and vector same (dimension\$2 and high)and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:02
-	4	surface adj3 (map\$5 or detail) and vector same (dimension\$2)and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:02
-	8	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:05
-	35	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 16:07
-	0	phylondendron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:26
-	64	dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:26
-	1	dendogram and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:26
-	0	dendogram and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:26
-	1	dendogram and 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:26
-	2	dendogram and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:27

-	0	"137" and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 17:27
-	9	"5835097"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 20:02
-	5	"5847717"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/06 20:02



92	42	scatter and records and attributes and cluster and display and vector\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:09
99	6	scatter and records and attributes and cluster and display and vector\$8 and 345/440	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:10
-	1865	surface adj2 map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:11
-	17	surface adj2 map\$5 same attributes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:37
-	97	surface adj2 map\$5 same dimension\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	76	surface adj2 map\$5 same characteristics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	24	surface adj2 map\$5 same interactive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	0	data adj1 processing adj1 analysis adj2 visualization adj1 system adj4 disparate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	4	(2d or two adj dimension\$2) same scatter adj graph\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:47
-	0	(2d or two adj dimension\$2) same scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	0	scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	95	cluster\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	169	user adj select\$5 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	13	user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50

-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	5	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	36	(user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:55
-	26	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56

-	0	(surface adj2 map\$5) and dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	64	dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	13	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58

	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:59
	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01
	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices) and link\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:11
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:16
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:15
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second and dimension\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:17
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:22
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:25
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:32
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:36
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4 and ( (surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:37

-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:59
-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:01
-	1	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4 and 345/419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	170	surface adj2 map\$5 same (user or interactive)and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	0	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4 AND CENTROIDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	8	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:08
-	9	surface adj2 map\$5 same (user or interactive)and map\$4 and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	0	(surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4) and (surface adj2 map\$5 same (user or interactive)and map\$4 and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	14	(surface adj2 map\$5) and centroids and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	8	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:15
-	0	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16
-	1	(surface adj2 map\$5) and centroids and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16

-	6	(surface adj2 map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:21
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:23
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:24
-	40	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:26
-	46	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:36
-	35	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:32
-	35	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:39
-	23	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:43
-	28	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:47
-	14	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$ and graph\$1 and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:58
-	2	surface adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:42
-	42	high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:29

-	0	high adj2 dimensional adj2 vector and surface same (detail and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:21
-	16	high adj2 dimensional adj2 vector and detail and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	0	( high adj2 dimensional adj2 vector) and 34/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	1	( high adj2 dimensional adj2 vector) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	28	( high adj2 dimensional adj2 vector) and clusters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	16	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:25
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	15	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	5	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	2	high adj2 dimensional adj2 vector and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32
-	0	high adj2 dimensional adj2 vector and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32



-	0	surface adj4 (map\$5 or detail) and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:33
-	1102	surface adj4 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:34
-	349	surface adj4 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:35
-	294	surface adj3 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:36
-	895	surface adj3 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:57
-	21	surface adj3 (map\$5 or detail) and vector same dimension\$2 same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:37
-	21	surface adj3 (map\$5 or detail) and (vector same dimension\$2) same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	2	surface adj3 (map\$5 or detail) and ( high adj2 dimensional adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	6	"6035057"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	3	(space or surface) adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:46
-	18	( high adj2 dimensional adj2 vector) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:52
-	18	( high adj2 dimensional adj2 vector) and centroids and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:53
-	329	surface adj3 (map\$5 or detail) and vector and projection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:00
-	2	surface adj3 (map\$5 or detail) and vector same (dimension\$2 and high) and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:02

-	4	surface adj3 (map\$5 or detail) and vector same (dimension\$2)and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:02
-	8	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:05
-	35	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:07
-	0	phylondendron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	64	dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	0	dendogram and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	2	dendogram and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	0	"137" and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	9	"5835097"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02
-	5	"5847717"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02

92	42	scatter and records and attributes and cluster and display and vector\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:09
99	6	scatter and records and attributes and cluster and display and vector\$8 and 345/440	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:10
-	1865	surface adj2 map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:11
-	17	surface adj2 map\$5 same attributes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 21:37
-	97	surface adj2 map\$5 same dimension\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	76	surface adj2 map\$5 same characteristics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:30
-	24	surface adj2 map\$5 same interactive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	0	data adj1 processing adj1 analysis adj2 visualization adj1 system adj4 disparate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:42
-	4	(2d or two adj dimension\$2) same scatter adj graph\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:47
-	0	(2d or two adj dimension\$2) same scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	0	scatter adj graph\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	95	cluster\$3 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:48
-	169	user adj select\$5 and (surface adj2 map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	13	user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50

L Number	Hits	Search Text	DB	Time stamp
1	48	scatter adj2 graph	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:53
8	5	scatter adj2 graph and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:53
15	1	scatter adj2 graph and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:53
22	4	scatter adj2 graph and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:55
29	7	scatter adj4 graph and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:55
36	7	scatter adj4 graph and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:58
43	0	scatter and 345/4409	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:59
50	37	scatter and 345/440	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:59
71	1	scatter and 345/440 and galaxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 22:59
64	2	scatter and 345/440 and centroid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:00
57	10	scatter and 345/440 and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:06
78	80	scatter and records and attributes and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:07
85	71	scatter and records and attributes and cluster and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 23:09

-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:50
-	5	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	11	user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:51
-	36	(user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:55
-	26	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and algorithm and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56

-	0	(surface adj2 map\$5) and dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	64	dendograms	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:56
-	13	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:57
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:58

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 21:59
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01
-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and (((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:01

-	3	((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and cluster\$3 and ((user adj select\$5 and (surface adj2 map\$5) and (cluster\$3 and (surface adj2 map\$5))) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same dimension\$1)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same characteristics)) or (user adj select\$5 and (surface adj2 map\$5) and (surface adj2 map\$5 same interactive))) and centroids) and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:11
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 22:16
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 22:15
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and surface adj map\$5 same (first and second and dimension\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 22:17
-	0	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 22:22
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 22:25
-	21	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 22:32
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/05 22:36
-	11	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and hierarch\$4 and ( (surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and hierarch\$4)-	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:37



-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 22:59
-	20	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:01
-	1	(surface adj2 map\$5) and cluster\$3 and algorithm and user and (index or list or table\$ or indices)and (embed\$5 or link\$3)and dimension\$ and high and map\$4 and 345/419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:03
-	170	surface adj2 map\$5 same (user or interactive)and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	0	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4 AND CENTROIDS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:07
-	8	surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:08
-	9	surface adj2 map\$5 same (user or interactive)and map\$4 and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	0	(surface adj2 map\$5 same (user or interactive)and map\$4 and cluster\$4) and (surface adj2 map\$5 same (user or interactive)and map\$4 and centroids)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	14	(surface adj2 map\$5) and centroids and cluster\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:09
-	8	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:10
-	6	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:15
-	0	(surface adj2 map\$5) and centroids and cluster\$4 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16
-	1	(surface adj2 map\$5) and centroids and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:16

-	6	(surface adj2 map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)and 600/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:21
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view or display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:23
-	41	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:24
-	40	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:26
-	46	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:36
-	35	surface adj2 (detail or map\$5) and cluster\$3 and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:32
-	35	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:39
-	23	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and vectors and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:43
-	28	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:47
-	14	surface adj2 (detail or map\$5) and (centroids or cluster\$3) and (user or interactive)and (link\$4 or embed\$5)and (view\$3 or display\$3 or imag\$3) and dimension\$ and (attribute\$ or characteristic\$) and projection\$ and graph\$1 and vectors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/05 23:58
-	2	surface adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:42
-	42	high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:29

-	0	high adj2 dimensional adj2 vector and surface same (detail and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:21
-	16	high adj2 dimensional adj2 vector and detail and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	0	( high adj2 dimensional adj2 vector) and 34/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:22
-	1	( high adj2 dimensional adj2 vector) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	28	( high adj2 dimensional adj2 vector) and clusters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:25
-	16	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:25
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	15	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:27
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	5	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and map\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	8	(( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and surface) and ((( high adj2 dimensional adj2 vector) and centroids) and (( high adj2 dimensional adj2 vector) and clusters) and detail\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:28
-	2	high adj2 dimensional adj2 vector and 702/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32
-	0	high adj2 dimensional adj2 vector and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:32

-	0	surface adj4 (map\$5 or detail) and 702/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:33
-	1102	surface adj4 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:34
-	349	surface adj4 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:35
-	294	surface adj3 (map\$5 or detail) and vector same dimension\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:36
-	895	surface adj3 (map\$5 or detail) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:57
-	21	surface adj3 (map\$5 or detail) and vector same dimension\$2 same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:37
-	21	surface adj3 (map\$5 or detail) and (vector same dimension\$2) same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	2	surface adj3 (map\$5 or detail) and (high adj2 dimensional adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	6	"6035057"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:38
-	3	(space or surface) adj2 map\$5 and high adj2 dimensional adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:46
-	18	( high adj2 dimensional adj2 vector) and centroids	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:52
-	18	( high adj2 dimensional adj2 vector) and centroids and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 15:53
-	329	surface adj3 (map\$5 or detail) and vector and projection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:00
-	2	surface adj3 (map\$5 or detail) and vector same (dimension\$2 and high) and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:02

-	4	surface adj3 (map\$5 or detail) and vector same (dimension\$2)and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:02
-	8	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3 and centroid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:05
-	35	surface adj3 (map\$5 or detail) and vector and projection and cluster\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 16:07
-	0	phylondendron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	64	dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	0	dendogram and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	1	dendogram and 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:26
-	2	dendogram and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	0	"137" and dendogram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 17:27
-	9	"5835097"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02
-	5	"5847717"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/06 20:02